


FIG. 1



Applicant: Manabu Kitamura, et al.

Title: Storage Management Computer

Atty Docket No. 16869S-042600

Sheet 2 of 18

FIG. 2




FIG. 3

The diagram shows a rectangular dashed box labeled '60' containing a table. The table has columns labeled 'APPRAATUS ID', 'DEVICE ID', 'WWN', 'LUN', 'SIZE', and 'CONNECTION PERMITTED WWN'. The rows are numbered 3, 4, and 5. The 'CONNECTION PERMITTED WWN' column contains values 'NULL', '1400002037000e00', and '2100002037000000, 2200002037000ff2' respectively. The 'LUN' column contains values 0, 0, and 0. The 'SIZE' column contains values '20GB', '15GB', and '40GB'. The 'WWN' column contains values '2200002037000f96', '1200002037000001', and '2200002037000e81'. The 'DEVICE ID' column contains values 1, 0, and 0. The 'APPRAATUS ID' column contains values 3, 4, and 5. The 'CONNECTION PERMITTED WWN' column is labeled with a brace over the first two rows, and the 'LUN' and 'SIZE' columns are labeled with a brace over the last two rows.

APPRAATUS ID	DEVICE ID	WWN	LUN	SIZE	CONNECTION PERMITTED WWN
3	1	2200002037000f96	0	20GB	NULL
4	0	1200002037000001	0	15GB	1400002037000e00
5	0	2200002037000e81	0	40GB	2100002037000000, 2200002037000ff2

FIG. 4

The diagram shows a table with 8 columns, enclosed in a dashed rectangular border. The columns are labeled with numbers: 61, 62, 63, 74, 75, 76, 77, and 78. Braces on the left side group columns 61 and 62 together, and columns 63 and 74 together. Braces on the right side group columns 75 and 76 together, and columns 77 and 78 together. The table has 4 rows. The columns are labeled as follows: APPARATUS ID, DEVICE No., MAC Addr., IP Addr., EXPORT DIRECTORY, LUN, SIZE, and CONNECTION PERMITTED HOST.

APPARATUS ID	DEVICE No.	MAC Addr.	IP Addr.	EXPORT DIRECTORY	LUN	SIZE	CONNECTION PERMITTED HOST
1	0	00:90:00:00:00:00	192.168.5.1	NULL	0	20GB	hostA
2	0	00:90:00:00:00:00	192.168.5.2	/usr1	NULL	6GB	hostA
3	0	00:90:00:00:00:00	192.168.5.3	/usr2	NULL	40GB	hostA,hostB

FIG. 5

APPARATUS ID	DEVICE No.	SIZE
3	2	40GB

FIG. 6

HOST NAME	WWN	MAC Addr.	IP Addr.
hostA	2100002037000000	00:6f:00:00:00:00	192.1685.128
hostB	NULL	00:90:00:00:20:00	192.1685.129
hostC	1400002037000e00	00:90:00:00:00:00	192.1685.130
hostD	2200002037000ff2	00:90:01:00:00:00	192.1685.131
—	—	—	—

Applicant: Manabu Kitamura, et al.

Title: Storage Management Computer

Atty Docket No. 16869S-042600

Sheet 6 of 18


FIG. 7

HOST NAME	USING APPARATUS	DEVICE No.	EXPORT DIRECTORY	CONNECTION PERMITTED HOST
hostC	4	0	/home1	hostD
—	—	—	—	—

FIG. 8

ZONE	WWN
1	2200002037000f96, 2100002037000000
2	1400002037000e00, 2200002037000ff2, 1200002037000001, 2200002037000e81
—	—

FIG. 9




Applicant: Manabu Kitamura, et al.

Title: Storage Management Computer

Atty Docket No. 16869S-042600

Sheet 8 of 18

FIG. 10



# FIG. 11




FIG. 12




FIG. 13





FIG. 14



## FIG. 15




FIG. 16




FIG. 17




FIG. 18




FIG. 19






FIG. 20



# FIG. 21



# FIG. 22




FIG. 23

